

JCMS Web Quick Start Instructions

JCMS Web runs on an application server. Once the application server is started all users can browse to the web page using Internet Explorer or Mozilla Firefox. This document contains quick instructions on how to start and stop JCMS Web Application Server.

It is important to remember where you installed JCMS Web since this is where you will find the command file to start the web server.

How to start JCMS Web Application Server

On Windows,

1. Using Windows Explorer, navigate to JCMS Web installation directory
2. Double click on `/jcms/jcmsweb.cmd`
3. This starts JCMS Web Application Server in a minimized command window
4. It takes about a minute to start up

On MAC,

1. Using Finder, find JCMS Web installation directory
2. Double click on `/jcms/jcmsWeb.command`
3. This starts JCMS Web Application Server in a terminal window
4. It takes about a minute to start up

On LINUX,

1. Open a terminal window
2. Change directory to JCMS Web installation directory
3. Run `/jcms/jcmsWeb.command`
4. It takes about a minute to start up

How to use JCMS Web

Instruct all users to browse to `http://{JCMS Web Server Name}:8080/jcms`. An administrator can log in first as user "mtsadmin" password "changeMe". Then navigate to Administration module to add system user accounts. Users can login when accounts are created.

How to stop JCMS Web Application Server

From any operating system, find the terminal window where JCMS Web Application Server is running. Then enter CTRL C to gracefully stop the application server.

When starting JCMS Web Application Server using JCMS Web Installer the process is run in the background on MAC and LINUX. To stop this process, open a terminal window, and enter

```
{JCMS Web Installation directory}/jcmsJboss/bin/shutdown.sh -S
```